

L Number	Hits	Search Text	DB	Time stamp
1	166	700/\$.ccls. and (crankshaft or crank adj shaft)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 19:24
2	69	(700/\$.ccls. and (crankshaft or crank adj shaft)) and (tim\$3 with (angle or degree))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 19:24
3	83	((time with (angle or angular or degree) with (convert\$3 or conversion or domain))) and (register with (add\$3 or subtract\$3 or addition or subtraction comparison or compar\$3 or add/subtract))) and (701/\$.ccls. or 123/\$.ccls. or 700/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 23:32
4	129	motorola.as. and (crankshaft or crank adj shaft)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 19:05
5	30	(motorola.as. and (crankshaft or crank adj shaft)) and (tim\$3 with (angle or degree))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 20:05
6	92790	(crankshaft or (crank adj shaft) or crank-shaft or crank-angle or (crank adj angle))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 19:30
7	270940	(tim\$3 with (angle or degree))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 19:25
8	203433	701/\$.ccls. or 123/\$.ccls. or 700/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 19:44
9	296528	((register\$3 or memory) with (add\$3 or subtract\$3 or addition or subtraction comparison or compar\$3 or add/subtract))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 19:46
10	851632	((register\$3 or memory) with (hold\$3 or stor\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 19:27
11	112610	((register\$3 or memory) with (hold\$3 or held))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 19:28
12	11831	(adjust\$3 or chang\$3 or modify\$3 or modification or addition or add\$3 or subtract\$3 or sum\$4 or summation) with ((upper-most or highest or first) near3 bit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 19:29

13	15082	(adjust\$3 or chang\$3 or modify\$3 or modification or addition or add\$3 or subtract\$3 or sum\$4 or summation) with (MSB or (most adj significant) or (upper with bit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 19:59
14	24128	((adjust\$3 or chang\$3 or modify\$3 or modification or addition or add\$3 or subtract\$3 or sum\$4 or summation) with ((upper-most or highest or first) near3 bit)) or ((adjust\$3 or chang\$3 or modify\$3 or modification or addition or add\$3 or subtract\$3 or sum\$4 or summation) with (MSB or (most adj significant) or (upper with bit)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 19:30
15	9	(701/\$.ccls. or 123/\$.ccls. or 700/\$.ccls.) and ((tim\$3 with (angle or degree))) and ((crankshaft or (crank adj shaft) or crank-shaft or crank-angle or (crank adj angle))) and (((adjust\$3 or chang\$3 or modify\$3 or modification or addition or add\$3 or subtract\$3 or sum\$4 or summation) with ((upper-most or highest or first) near3 bit)) or ((adjust\$3 or chang\$3 or modify\$3 or modification or addition or add\$3 or subtract\$3 or sum\$4 or summation) with (MSB or (most adj significant) or (upper with bit)))) and (((register\$3 or memory) with (add\$3 or subtract\$3 or addition or subtraction comparison or compar\$3 or add/subtract))) and (((register\$3 or memory) with (hold\$3 or held))) (701/\$.ccls. or 123/\$.ccls. or 700/\$.ccls.) and (hold adj register)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 19:31
16	25	(701/\$.ccls. or 123/\$.ccls. or 700/\$.ccls.) and (hold adj register)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 19:59
17	1846	(701/\$.ccls. or 123/\$.ccls. or 700/\$.ccls.) and (add\$3 or subtract\$3 or addition or subtraction or add/subtract) with register	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 20:04
18	15	((701/\$.ccls. or 123/\$.ccls. or 700/\$.ccls.) and (hold adj register)) and ((701/\$.ccls. or 123/\$.ccls. or 700/\$.ccls.) and (add\$3 or subtract\$3 or addition or subtraction or add/subtract) with register)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 19:47
19	53374	MSB or (((most adj significant) or (upper adj most) or highest) with (bit or word or byte))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 20:03
20	22895	(MSB or (((most adj significant) or (upper adj most) or highest) with (bit or word or byte))) same (register or memory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 20:03
21	15004	(MSB or (((most adj significant) or (upper adj most) or highest) with (bit or word or byte))) same (add\$3 or subtract\$3 or addition or subtraction or add/subtract)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 20:07
22	8056	((MSB or (((most adj significant) or (upper adj most) or highest) with (bit or word or byte))) same (register or memory)) and ((MSB or (((most adj significant) or (upper adj most) or highest) with (bit or word or byte))) same (add\$3 or subtract\$3 or addition or subtraction or add/subtract))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 20:04
23	182	((MSB or (((most adj significant) or (upper adj most) or highest) with (bit or word or byte))) same (register or memory)) and ((MSB or (((most adj significant) or (upper adj most) or highest) with (bit or word or byte))) same (add\$3 or subtract\$3 or addition or subtraction or add/subtract)) and (701/\$.ccls. or 123/\$.ccls. or 700/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 20:08

24	42	(((((MSB or (((most adj significant) or (upper adj most) or highest) with (bit or word or byte)))) same (register or memory)) and ((MSB or (((most adj significant) or (upper adj most) or highest) with (bit or word or byte)))) same (add\$3 or subtract\$3 or addition or subtraction or add/subtract))) and (701/\$.ccls. or 123/\$.ccls. or 700/\$.ccls.)) and (tim\$3 with (angle or degree))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 20:08
25	6518	(MSB or (((most adj significant) or (upper adj most) or highest) with (bit or word or byte)))) same (add\$3 or subtract\$3 or addition or subtraction or add/subtract) same (register or memory)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 20:08
26	0	"L225" and (701/\$.ccls. or 123/\$.ccls. or 700/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 20:08
27	167	((MSB or (((most adj significant) or (upper adj most) or highest) with (bit or word or byte)))) same (add\$3 or subtract\$3 or addition or subtraction or add/subtract) same (register or memory)) and (701/\$.ccls. or 123/\$.ccls. or 700/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 20:08
28	39	(((((MSB or (((most adj significant) or (upper adj most) or highest) with (bit or word or byte)))) same (add\$3 or subtract\$3 or addition or subtraction or add/subtract) same (register or memory)) and (701/\$.ccls. or 123/\$.ccls. or 700/\$.ccls.)) and (tim\$3 with (angle or degree))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 20:08
34	17	(domain adj control) and (register with (adder or subtractor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 22:25
35	165	((domain or time or angle or frequency) adj control) and ((register with (adder or subtractor)) same (MSB or (((most adj significant) or (upper adj most) or highest) with (bit or word or byte))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 22:25
36	65	((domain or time or angle or frequency) adj control) and ((register with (adder or subtractor)) with (MSB or (((most adj significant) or (upper adj most) or highest) with (bit or word or byte))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 22:04
37	5	(701/\$.ccls. or 123/\$.ccls. or 700/\$.ccls.) and (((domain or time or angle or frequency) adj control) and ((register with (adder or subtractor)) with (MSB or (((most adj significant) or (upper adj most) or highest) with (bit or word or byte))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 22:26
38	1001	((domain or time or angle or frequency) with control\$4) and ((register with (adder or subtractor)) same (MSB or (((most adj significant) or (upper adj most) or highest) with (bit or word or byte))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 22:26
39	424	((domain or time or angle or frequency) with control\$4) and ((register with (adder or subtractor)) with (MSB or (((most adj significant) or (upper adj most) or highest) with (bit or word or byte))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 22:30
40	17	(701/\$.ccls. or 123/\$.ccls. or 700/\$.ccls.) and (((domain or time or angle or frequency) with control\$4) and ((register with (adder or subtractor)) with (MSB or (((most adj significant) or (upper adj most) or highest) with (bit or word or byte))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 22:30

41	12	((701/\$.ccls. or 123/\$.ccls. or 700/\$.ccls.) and (((domain or time or angle or frequency) with control\$4) and ((register with (adder or subtractor)) with (MSB or (((most adj significant) or (upper adj most) or highest) with (bit or word or byte)))))) not ((701/\$.ccls. or 123/\$.ccls. or 700/\$.ccls.) and (((domain or time or angle or frequency) adj control) and ((register with (adder or subtractor)) with (MSB or (((most adj significant) or (upper adj most) or highest) with (bit or word or byte))))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 22:30
42	315	((domain or time or angle or frequency) near5 control\$4) and ((register with (adder or subtractor)) with (MSB or (((most adj significant) or (upper adj most) or highest) with (bit or word or byte))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 22:40
43	16	(701/\$.ccls. or 123/\$.ccls. or 700/\$.ccls.) and (((domain or time or angle or frequency) near5 control\$4) and ((register with (adder or subtractor)) with (MSB or (((most adj significant) or (upper adj most) or highest) with (bit or word or byte))))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 22:41
44	11	((701/\$.ccls. or 123/\$.ccls. or 700/\$.ccls.) and (((domain or time or angle or frequency) near5 control\$4) and ((register with (adder or subtractor)) with (MSB or (((most adj significant) or (upper adj most) or highest) with (bit or word or byte)))))) not ((701/\$.ccls. or 123/\$.ccls. or 700/\$.ccls.) and (((domain or time or angle or frequency) adj control) and ((register with (adder or subtractor)) with (MSB or (((most adj significant) or (upper adj most) or highest) with (bit or word or byte))))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 22:30
45	607	((domain or time or angle) and (control\$4 or monitor\$3)) and ((register with (adder or subtractor)) with (MSB or (((most adj significant) or (upper adj most) or highest) with (bit or word or byte))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 22:42
46	18	(701/\$.ccls. or 123/\$.ccls. or 700/\$.ccls.) and (((domain or time or angle) and (control\$4 or monitor\$3)) and ((register with (adder or subtractor)) with (MSB or (((most adj significant) or (upper adj most) or highest) with (bit or word or byte))))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 22:41
47	2	((701/\$.ccls. or 123/\$.ccls. or 700/\$.ccls.) and (((domain or time or angle) and (control\$4 or monitor\$3)) and ((register with (adder or subtractor)) with (MSB or (((most adj significant) or (upper adj most) or highest) with (bit or word or byte)))))) not ((701/\$.ccls. or 123/\$.ccls. or 700/\$.ccls.) and (((domain or time or angle or frequency) near5 control\$4) and ((register with (adder or subtractor)) with (MSB or (((most adj significant) or (upper adj most) or highest) with (bit or word or byte))))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 22:41
48	46	((time and angle) same (control\$4 or monitor\$3)) and ((register with (adder or subtractor)) with (MSB or (((most adj significant) or (upper adj most) or highest) with (bit or word or byte))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 23:34
49	275218	(time with (angle or angular or degree))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 22:44
50	292439	(tim\$3 with (angle or angular or degree))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 22:46

51	15827	((register with (add\$3 or subtract\$3 or addition or subtraction comparison or compar\$3 or add/subtract or adder-subtractor)) and (MSB or (((most adj significant) or (upper adj most) or highest) with (bit or word or byte))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 22:45
52	75	((tim\$3 with (angle or angular or degree))) and (((register with (add\$3 or subtract\$3 or addition or subtraction comparison or compar\$3 or add/subtract or adder-subtractor)) and (MSB or (((most adj significant) or (upper adj most) or highest) with (bit or word or byte)))) and (701/\$.ccls. or 123/\$.ccls. or 700/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 22:46
53	2451	701/101,105-115.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 23:41
54	0	123/406.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 23:33
55	237	700/7,275.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 23:42
56	1597423	123/(406.12).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 23:34
58	2711	701/101,105-115.ccls. or 700/7,275.ccls. or 123/406.12.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 23:34
59	836	((time and angle) same (control\$4 or monitor\$3)) and (701/101,105-115.ccls. or 700/7,275.ccls. or 123/406.12.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 23:42
57	29	123/406.12.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 23:38
60	1434	701/101,102,105,115-116.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 23:41
61	1698	700/7,275.ccls. or 123/406.12.ccls. or 701/101,102,105,115-116.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 23:42
62	490	((time and angle) same (control\$4 or monitor\$3)) and (700/7,275.ccls. or 123/406.12.ccls. or 701/101,102,105,115-116.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 23:42

63	10	((time and angle) same (control\$4 or monitor\$3)) and (700/7,275.ccls. or 123/406.12.ccls. or 701/101,102,105,115-116.ccls.)) and (register with (adder or subtractor))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 23:43
-	1	20030114939.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/22 23:28
-	4454	(time with (angle or angular) with (convert\$3 or conversion or domain))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/22 23:49
-	101907	register with (add\$3 or subtract\$3 or addition or subtraction comparison or compar\$3 or add/subtract)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/22 22:53
-	219	((time with (angle or angular) with (convert\$3 or conversion or domain))) and (register with (add\$3 or subtract\$3 or addition or subtraction comparison or compar\$3 or add/subtract))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/22 23:50
-	195	((time with (angle or angular) with (convert\$3 or conversion or domain))) and (register with (add\$3 or subtract\$3 or addition or subtraction comparison or compar\$3 or add/subtract))) not (angular adj velocity)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/22 23:28
-	0	6473687.URPN.	USPAT	2003/08/22 23:32
-	1	"4782692".PN.	USPAT	2003/08/22 23:32
-	67	((time with (angle or angular) with (convert\$3 or conversion or domain))) and (register with (add\$3 or subtract\$3 or addition or subtraction comparison or compar\$3 or add/subtract))) and (701/\$.ccls. or 123/\$.ccls. or 700/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/22 23:52
-	8633	(time with (angle or angular or degree) with (convert\$3 or conversion or domain))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/22 23:50
-	323	((time with (angle or angular or degree) with (convert\$3 or conversion or domain))) and (register with (add\$3 or subtract\$3 or addition or subtraction comparison or compar\$3 or add/subtract))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 00:25
-	16	((time with (angle or angular or degree) with (convert\$3 or conversion or domain))) and (register with (add\$3 or subtract\$3 or addition or subtraction comparison or compar\$3 or add/subtract))) and (701/\$.ccls. or 123/\$.ccls. or 700/\$.ccls.) not (((time with (angle or angular) with (convert\$3 or conversion or domain))) and (register with (add\$3 or subtract\$3 or addition or subtraction comparison or compar\$3 or add/subtract))) and (701/\$.ccls. or 123/\$.ccls. or 700/\$.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/22 23:50
-	34	((time with (angle or angular or degree) with (convert\$3 or conversion or domain))) and (register with (add\$3 or subtract\$3 or addition or subtraction comparison or compar\$3 or add/subtract))) and ((adjust\$3 or chang\$3 or modify\$3 or modification or addition or add\$3 or subtract\$3) with (MSB or (most adj significant) or (significant adj bit)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 00:37

-	8	(((time with (angle or angular or degree) with (convert\$3 or conversion or domain))) and (register with (add\$3 or subtract\$3 or addition or subtraction comparison or compar\$3 or add/subtract))) and (701/\$.ccls. or 123/\$.ccls. or 700/\$.ccls.)) and (((time with (angle or angular or degree) with (convert\$3 or conversion or domain))) and (register with (add\$3 or subtract\$3 or addition or subtraction comparison or compar\$3 or add/subtract))) and ((adjust\$3 or chang\$3 or modify\$3 or modification or addition or add\$3 or subtract\$3) with (MSB or (most adj significant) or (significant adj bit))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 00:28
-	1	(((time with (angle or angular or degree) with (convert\$3 or conversion or domain))) and (register with (add\$3 or subtract\$3 or addition or subtraction comparison or compar\$3 or add/subtract))) and (701/\$.ccls. or 123/\$.ccls. or 700/\$.ccls.)) and (((time with (angle or angular or degree) with (convert\$3 or conversion or domain))) and (register with (add\$3 or subtract\$3 or addition or subtraction comparison or compar\$3 or add/subtract))) and ((sum\$4 or summation) with (MSB or (most adj significant) or (significant adj bit))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 00:34
-	12	(((time with (angle or angular or degree) with (convert\$3 or conversion or domain))) and (register with (add\$3 or subtract\$3 or addition or subtraction comparison or compar\$3 or add/subtract))) and ((sum\$4 or summation) with (MSB or (most adj significant) or (significant adj bit))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 00:34
-	23	(((time with (angle or angular or degree) with (convert\$3 or conversion or domain))) and (register with (add\$3 or subtract\$3 or addition or subtraction comparison or compar\$3 or add/subtract))) and ((adjust\$3 or chang\$3 or modify\$3 or modification or addition or add\$3 or subtract\$3 or sum\$4 or summation) with (most-significant or significant-bit or upper)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 00:44
-	101	(((time with (angle or angular or degree) with (convert\$3 or conversion or domain))) and (register with (add\$3 or subtract\$3 or addition or subtraction comparison or compar\$3 or add/subtract))) and (701/\$.ccls. or 123/\$.ccls. or 700/\$.ccls.)) or (((time with (angle or angular or degree) with (convert\$3 or conversion or domain))) and (register with (add\$3 or subtract\$3 or addition or subtraction comparison or compar\$3 or add/subtract))) and ((adjust\$3 or chang\$3 or modify\$3 or modification or addition or add\$3 or subtract\$3 or sum\$4 or summation) with (most-significant or significant-bit or upper)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 19:30
-	5	(((time with (angle or angular or degree) with (convert\$3 or conversion or domain))) and (register with (add\$3 or subtract\$3 or addition or subtraction comparison or compar\$3 or add/subtract))) and (701/\$.ccls. or 123/\$.ccls. or 700/\$.ccls.)) and (((time with (angle or angular or degree) with (convert\$3 or conversion or domain))) and (register with (add\$3 or subtract\$3 or addition or subtraction comparison or compar\$3 or add/subtract))) and ((adjust\$3 or chang\$3 or modify\$3 or modification or addition or add\$3 or subtract\$3 or sum\$4 or summation) with (most-significant or significant-bit or upper)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 00:45
-	23	(((time with (angle or angular or degree) with (convert\$3 or conversion or domain))) and (register with (add\$3 or subtract\$3 or addition or subtraction comparison or compar\$3 or add/subtract))) and ((adjust\$3 or chang\$3 or modify\$3 or modification or addition or add\$3 or subtract\$3 or sum\$4 or summation) with ((upper-most or highest or first) near3 bit)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 00:44
-	6	(((time with (angle or angular or degree) with (convert\$3 or conversion or domain))) and (register with (add\$3 or subtract\$3 or addition or subtraction comparison or compar\$3 or add/subtract))) and (701/\$.ccls. or 123/\$.ccls. or 700/\$.ccls.)) and (((time with (angle or angular or degree) with (convert\$3 or conversion or domain))) and (register with (add\$3 or subtract\$3 or addition or subtraction comparison or compar\$3 or add/subtract))) and ((adjust\$3 or chang\$3 or modify\$3 or modification or addition or add\$3 or subtract\$3 or sum\$4 or summation) with ((upper-most or highest or first) near3 bit)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 19:27

-	5	((((time with (angle or angular or degree) with (convert\$3 or conversion or domain))) and (register with (add\$3 or subtract\$3 or addition or subtraction comparison or compar\$3 or add/subtract))) and (701/\$.ccls. or 123/\$.ccls. or 700/\$.ccls.)) and (((time with (angle or angular or degree) with (convert\$3 or conversion or domain))) and (register with (add\$3 or subtract\$3 or addition or subtraction comparison or compar\$3 or add/subtract))) and ((adjust\$3 or chang\$3 or modify\$3 or modification or addition or add\$3 or subtract\$3 or sum\$4 or summation) with ((upper-most or highest or first) near3 bit)))) not (((time with (angle or angular or degree) with (convert\$3 or conversion or domain))) and (register with (add\$3 or subtract\$3 or addition or subtraction comparison or compar\$3 or add/subtract))) and (701/\$.ccls. or 123/\$.ccls. or 700/\$.ccls.)) and (((time with (angle or angular or degree) with (convert\$3 or conversion or domain))) and (register with (add\$3 or subtract\$3 or addition or subtraction comparison or compar\$3 or add/subtract))) and ((adjust\$3 or chang\$3 or modify\$3 or modification or addition or add\$3 or subtract\$3 or sum\$4 or summation) with (most-significant or significant-bit or upper))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/23 00:45
---	---	--	---	------------------